- Eroğlu H (2020) Türkiye'de Yayılış Gösteren *Muscari* Mıll. (Asparagaceae) Cinsi Taksonlarına Ait Morfoloji, Palinoloji ve Tohum Yüzeyi Araştırmaları. PhD thesis, Van.
- Eti S (1991) Bazı Meyve Tür ve Çeşitlerinde Değişik in vitro Testler Yardımıyla Çiçek Tozu Canlılık ve Çimlenme Yeteneklerinin Belirlenmesi. Çukurova Üniversitesi Ziraat Fakültesi Dergisi 6 (1): 69-80.
- Fenner M, Thompson K (2005) The ecology of seeds. Cambridge University Press. https://doi.org/10.1017/CBO9780511614101
- Harder LD, Barrett SC (2006) Ecology and evolution of flowers. In: Harder LD, Barrett SC (Eds) Oxford University Press. https://doi.org/10.1093/oso/9780198570851.001.0001
- Havens K, Vitt P, Maunder M, Guerrant EO, Dixon K (2004) Ex situ plant conservation and beyond. BioScience 54 (6): 561-568.
- Herrmann N, Weiss G, Durka W (2006) Biological flora of Central Europe: *Muscari tenuiflorum* Tausch. Flora 201: 81-101. https://doi.org/10.1016/j.flora.2005.03.002
- IUCN (2024) Standards and Petitions Committee. Guidelines for Using the IUCN Red List Categories and Criteria. Version 16. Prepared by the Standards and Petitions Committee.
- Kearns CA, Inouye DW (1993) Techniques for pollination biologists. University Press of Colorado.
- Keser AM, Yaprak AE, Tuğ GN (2023) Determination of the genetic diversity, population structure, and some ecological preferences of the endemic *Muscari adilii*. Turkish Journal of Botany 47 (5): 353-362. https://doi.org/10.55730/1300-008X.2773
- Kwak MM, Bekker RM (2006) Ecology of plant reproduction: extinction risks and restoration perspectives. Plant-pollinator interactions: from specialization to generalization. In: Nickolas MW, Jeff O (Eds) University Chicago Press.
- Mace GM, Collar NJ, Gaston KJ, C. H, Akçakaya HR, Leader-Williams N, Milner-Gulland EJ, Stuart SN (2008) Quantification of extinction risk: IUCN's system for classifying threatened species. Conservation Biology 22 (6): 1424-1442. https://doi.org/10.1111/j.1523-1739.2008.01044.x
- Médail F, Quézel P (1999) Biodiversity hotspots in the Mediterranean Basin: Setting global conservation priorities. Conservation Biology 13 (6): 1510-1513. https://doi.org/10.1046/j.1523-1739.1999.98467.x
- Moore R (1985) Handbook on tetrazolium testing. International Seed Testing Association, Zurich, Switzerland.
- Myers N, Mittermeier RA, Mittermeier CG, da Fonseca GA, Kent J (2000) Biodiversity hotspots for conservation priorities. Nature 403 (6772): 853-858. https://doi.org/10.1038/35002501
- Norton JD (1966) Testing of plum viability with tetrazolium salts. Proceedings of the American Society for Horticultural Science.
- Ohara M, Tomımatsu H, Takada T, Kawano S (2006) Importance of life history studies for conservation of fragmented populations: A case study of the understory herb, *Trillium camschatcense*. Plant Species Biology 21: 1-12. https://doi.org/10.1111/j.1442-1984.2006.00145.x
- Pirhan AF, Yıldırım H, Altıoğlu Y (2014) *Muscari serpentinicum* sp. nova (Asparagaceae): a new species from western Anatolia, Türkiye. Ot Sistematik Botanik Dergisi 21 (1): 1-14.
- Speta F (1989) Muscari (subg. Leopoldia) mirum SPETA, spec, nova, im Kreise seiner nächsten Verwandten*). Phyton. Annales rei Botanicae, Horn, Austria.